

Application No. : 10/693,071
File date : October 24, 2003
Response

Amendments to the Claims

I CLAIM:

Claim 1 (original): An apparatus for irradiating an object with ultraviolet radiation comprising:

- (a) a housing having a top wall and an internal chamber;
- (b) a source of ultraviolet radiation disposed within said chamber for emitting ultraviolet light at a first wavelength;
- (c) an ultraviolet radiation transmitting, light blocking element carried by said top wall of said housing;
- (d) a first phosphor plate fixedly mounted within said housing between said source of ultraviolet radiation and said ultraviolet radiation transmitting, light blocking element for converting short wave ultraviolet radiation to midrange ultraviolet radiation;
- (e) a short wave ultraviolet filter superimposed over said first phosphor plate for transmitting short wave ultraviolet radiation and for blocking ambient white light;

Amendments to the Claims continued

(f) a second phosphor plate removably carried by said housing between said short wave ultraviolet filter and said ultraviolet radiation transmitting, light blocking element for blocking ambient white light; and

(g) a long wave ultraviolet filter superimposed over said second phosphor plate for transmitting long wave ultraviolet radiation.

Claim 2 (original): The apparatus as defined in claim 1 in which said source of ultraviolet radiation emits radiation at a wave length of about 254 nanometers and in which said ultraviolet radiation transmitting, light blocking element transmits radiation at a wavelength of at least approximately 312 nanometers.

Claim 3 (original): The apparatus as defined in claim 1 in which said source of ultraviolet radiation emits radiation at a wavelength of about 254 nanometers and in which said first phosphor plate converts the 254 nanometers radiation to approximately 312 nanometers radiation.

Claim 4 (original): The apparatus as defined in claim 1 in which said short wave ultraviolet filter transmits ultraviolet radiation at wavelengths of about 254, 312 and 365 nanometers.

Claim 5 (original): The apparatus as defined in claim 1 in which said long wave ultraviolet filter transmits ultraviolet radiation at a wavelength of only about 365 nanometers.

Amendments to the Claims continued

Claim 6 (original): An apparatus for irradiating an object with ultraviolet radiation comprising:

- (a) a housing having a top wall and an internal chamber;
- (b) a source of ultraviolet radiation disposed within said chamber for emitting ultraviolet light at a first wavelength;
- (c) an ultraviolet radiation transmitting, light blocking element carried by said top wall of said housing;
- (d) an assemblage removably mounted upon said ultraviolet radiation transmitting, light blocking element for converting ultraviolet radiation at a first wavelength to ultraviolet radiation at a second wavelength;
- (e) a phosphor plate fixedly mounted within said housing between said assemblage and said ultraviolet radiation transmitting, light block element for converting ultraviolet radiation at a first wavelength to ultraviolet radiation at a second wavelength; and
- (f) a filter disposed between said phosphor plate and said ultraviolet radiation transmitting, light blocking element for filtering selected wavelengths of ultraviolet radiation.

Claim 7 (original): The apparatus as defined in claim 6 in which said assemblage comprises a glass plate and a phosphor coating affixed to said glass

Amendments to the Claims continued

plate for converting ultraviolet radiation at a first wavelength to ultraviolet radiation at a second wavelength.

Claim 8 (original): The apparatus as defined in claim 1 in which said glass plate has first and second surfaces and in which said coating is affixed to said second surface.

Claim 9 (original): An apparatus for irradiating an object with ultraviolet radiation comprising:

- (a) a housing having a top wall and an internal chamber;
- (b) a source of ultraviolet radiation disposed within said chamber for emitting ultraviolet light at a first wavelength;
- (c) an ultraviolet radiation transmitting, light blocking element carried by said top wall of said housing;
- (d) a plate fixedly mounted within said housing between said source of ultraviolet radiation and said ultraviolet radiation transmitting, light blocking element, said plate having a coating comprising a mixture of phosphors for converting short wave ultraviolet radiation to broadband ultraviolet radiation; and
- (e) a filter removably mounted within said housing between said plate and said ultraviolet radiation transmitting, light blocking element for

Amendments to the Claims continued

blocking passage of all but ultraviolet radiation at a wavelength of about 365 nanometers.

Claim 10 (currently amended): An apparatus as defined in claim 9 in which said source of ultraviolet radiation emits radiation at a wavelength of about 254 nanometers and in which said mixture of phosphors converts 254 nanometers radiation to ultraviolet radiation at a wavelength of between about 312 nanometers radiation and about ~~342~~ 365 nanometers radiation.

Claim 11 (original): The apparatus as defined in claim 1 in which said long wave ultraviolet filter transmits ultraviolet radiation at a wavelength of only about 365 nanometers.

Claim 12 (original): An apparatus for irradiating an object with ultraviolet radiation comprising:

- (a) a housing having a top portion and a bottom portion, said top portion being removably connected to said bottom portion, said housing having an internal chamber;
- (b) a source of ultraviolet radiation disposed within said internal chamber for emitting white light and ultraviolet light at a first wavelength;
- (c) an ultraviolet radiation transmitting, light blocking element carried by said top portion of said housing;

Amendments to the Claims continued

- (d) an ultraviolet filter superimposed over said ultraviolet radiation transmitting, light blocking element for transmitting ultraviolet radiation at a wavelength of only about 365 nanometers;
- (e) a phosphor plate fixedly mounted within said housing between said source of ultraviolet radiation and said ultraviolet radiation transmitting, light blocking element for converting short wave ultraviolet radiation to midrange ultraviolet radiation; and
- (f) filter means superimposed over said phosphor plate for filtering white light from the radiation emitted from said source of ultraviolet radiation and for transmitting ultraviolet radiation at wavelengths of about 245, 312 and 365 nanometers.

Claim 13 (original): The apparatus as defined in claim 11 in which said phosphor plate converts ultraviolet radiation at a wavelength of about 254 nanometers to ultraviolet radiation at a wavelength of about 312 nanometers.

Claim 14 (original): The apparatus as defined in claim 11 in which said ultraviolet radiation transmitting, light blocking element comprises borosilicate glass.

Claim 15 (original): The apparatus as defined in claim 11 in which said phosphor plate includes at least one grooved surface.

Amendments to the Claims continued

Claim 16 (original): An apparatus for irradiating an object with ultraviolet radiation comprising:

- (a) a housing having a top wall and an internal chamber;
- (b) a source of ultraviolet radiation disposed within said chamber for emitting ultraviolet light at a first wavelength;
- (c) an ultraviolet radiation transmitting, light blocking element carried by said top wall of said housing;
- (d) a filter removably mounted within said housing;
- (e) a glass plate fixedly mounted within said housing between said filter and said ultraviolet radiation transmitting, light block element; and
- (f) conversion means for converting ultraviolet radiation at a first wavelength to ultraviolet radiation at a second wavelength, said conversion assembly comprising a supporting frame and a phosphor coated mesh substrate supported by said frame.

Claim 17 (original): The apparatus as defined in claim 16 in which said mesh substrate is constructed from metal.

Claim 18 (original): The apparatus as defined in claim 16 in which said mesh substrate is constructed from plastic.

Amendments to the Claims continued

Claim 19 (original): The apparatus as defined in claim 16 in which said mesh substrate is constructed from glass.

Claim 20 (original): The apparatus as defined in claim 16 in which said mesh substrate is constructed from quartz.

Claims 21-30 (cancelled)

Claim 31 (new): The conversion means as defined in Claim 16 in which said phosphor on said phosphor-coated mesh substrate comprises a waveshift phosphor that will convert 254 nm ultraviolet radiation to 302 nm ultraviolet radiation.

Claim 32 (new): The conversion means as defined in Claim 16 in which said phosphor on said phosphor-coated mesh substrate comprises a waveshift phosphor that will convert 254 nm ultraviolet radiation to 365 nm ultraviolet radiation.

Claim 33 (new): The conversion means as defined in Claim 16 in which said phosphor on said phosphor-coated mesh substrate comprises a waveshift phosphor that will convert 254 nm ultraviolet radiation to both 302 nm and 365 nm ultraviolet radiation.

Amendments to the Claims continued

Claim 34 (new): The conversion means as defined in Claim 16 in which said phosphor on said phosphor-coated mesh substrate comprises a mixture of visible conversion spectra phosphors and ultraviolet phosphors.